


Printing and Piecing Instructions

- All pages should be printed on standard paper. Using Adobe Reader (free to download) is recommended but may not be necessary.
- Make sure that “Auto Rotate and Center” is checked and that “Scaling” is NOT checked (scaling may be in a drop-down menu - make sure to find it and check the setting). If you have a newer version of Adobe Reader, your options might look like “Fit to Size” or “Actual Size”. If that is the case, make sure you choose “Actual Size”.
- To make sure you’re printing the right size pattern, measure the 2 inch by 2 inch test square. Do your troubleshooting here so you don’t print out the wrong size pages.
- If you live outside Canada or the US, print the pages to your standard paper size.
- To connect each page, trim to the grey border (do not cut the grey border off), and match up the numbers and letters in the circles on each page border. See pattern diagram below for further help.
- Tape the pages together.
- Once the whole pattern is printed and taped, cut along your size line according to the size chart. You may prefer to trace your size onto tracing paper and then cut it out.

PATTERN DIAGRAM:



2"
Test
Square

The diagram consists of three main elements: a gray square in the center labeled "2" Test Square", a white square at the bottom center labeled "1", and a tall white vertical rectangle on the right side labeled "A". The "2" Test Square" is positioned above the "1" square. The "A" rectangle is to the right of the "1" square and extends higher than the "2" Test Square".

A

1

A

Denim Stocking

Cut (4)

- Cotton Fabric -

3

2

Stocking Loop
Cut (1)

1

B

3

B

4



2

C

